

Maior portal de Automação Comercial do Brasil! Encontre o que sua empresa precisa com preços especiais, atendimento especializado, entrega rápida e pagamento facilitado.





Coletor de Dados Datalogic Memor 1

O Datalogic Memor 1 é o produto ideal para qualquer aplicação de captura de dados, desde vendas assistidas até o chão de loja e o depósito. O Memor 1 acompanha uma poderosa plataforma Qualcomm Snapdragon e já utiliza o Android.



MEMOR[™] 1

DATALOGIC



MEMOR™ 1 - THE NEW DATALOGIC GENERAL PURPOSE FULL TOUCH DEVICE

Memor 1 is your business companion for any data capture application, from assisted sales to the shop floor, or backend receiving to the warehouse.

MULTIPLE DEVICES IN ONE

The Memor 1 device comes with a powerful Qualcomm Snapdragon platform and features Android™ 8.1 (Oreo) with GMS. This device is available in two form factors: a hand held version resembling a rugged smartphone or a pistol-grip version with a comfortable trigger. The robust black enclosure allows this device to be used in most any application.

WIRELESS CHARGING DOCKS – SINGLE AND 3-SLOT

The Memor 1 device is charged using state-of-the-art wireless charging technology that eliminates the need for cleaning contacts on the device and docks. It radically reduces support costs and increases its reliability.

The 3-slot dock along with multiple single dock options support both hand held and pistol-grip models providing maximum flexibility.

BOOST AND FAST CHARGING

The Memor 1 device requires less than 2 hours to fully charge the battery and the Boost Recharge allows use within minutes of charging. Six charging profiles are available to let the user decide which profile better suits their needs.

VOICE COMMUNICATOR

The Memor 1 device can also be used as a phone or PTT device using the Voice over Internet Protocol (VoIP), leveraging your Wi-Fi network for communications.







FEATURES

- Multi-purpose device: hand held or pistol-grip
 Android 8.1 (Oreo) with Google Mobile Services
- (GMS)
- Wireless charging eliminates all contacts on the device and dock
- Supports both Boost and Fast charging modes
- VoIP or PTT phone capabilities over Wi-Fi
- Presentation mode allows hands-free scanning
- Datalogic's SoftSpot[™] technology for innovative triggering through the touch display
- 3-Axis Accelerometer auto-rotates the screen orientation
- 4.3 inch capacitive multi-touch FWVGA display with Gorilla® Glass 3
- Vibration alert for notifications
- Advanced 2D imaging technology with image capture
- Datalogic's patented 'Green Spot' technology for visual good-read feedback
- EASEOFCARE Service Plans offer a wide range of service options to protect your investment, ensuring maximum productivity and ROI

INDUSTRY-APPLICATIONS

Retail:

- Inventory
- Access Control
- Gift Registry
- Shop Floor Applications
- Assisted Sales
- Manufacturing:
 - Quality Control
- Inventory
- Logistics:
 Inventory
 - Picking/Packing
 - Shipping/Receiving
 - Track & Trace

NOTE: The Android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License.

MEMOR[™] 1

TECHNICAL SPECIFICATIONS

OIDOJATAC

OCAL AREA NETWORK (WLAN)	IEEE 802.11 a/b/g/n; Wi-Fi Security Standards: WEP, WPA/WPA2	DISP
	PSK, 802.1x EAP Methods: PEAP/MSCHAPV2, PEAP/GTC, TLS, TTLS/PAP, TTLS/MSCHAP, TTLS/ MSCHAPV2, TTLS/GTC, PWD	TOU(PHYS
PERSONAL AREA NETWORK (WPAN)	Bluetooth® wireless technology v4.0 - Dual Mode, supporting Classic Bluetooth and BLE	
IFC COMMUNICATION	NFC communication between device and dock	LED/
ECODING CAPABILITY		DIME
D / LINEAR CODES D CODES	Auto discriminates all standard 1D codes including GS1 DataBar™ linear codes. Aztec Code, Data Matrix, MaxiCode, PDF417,	WEI
	MicroPDF417, Micro QR Code, QR Code	REA
OSTAL CODES	Australian Post, Japanese Post, KIX Code, Royal Mail, USPS Intelligent Mail, USPS PLANET, USPS	DEP
IGITAL WATERMARKS	POSTNET Supports Digimarc® Barcode (optional)	MINI REAI
LECTRICAL		
ATTERY	Replaceable battery pack with rechargeable Li-Ion batteries; 3.7 V; 3,000 mAh (12 Watt-hours)	SAF
/IRELESS CHARGING	Two charging options: Fast charging or Standard charging	AGEI ENV
NVIRONMENTAL		EINV
ROP RESISTANCE	Withstands repeated drops from 1.2 m / 4.0 ft onto plywood over concrete and 1.5 m / 5.0 ft onto plywood over concrete with the rubber boot accessory	SOF Appi
EMPERATURE	Operating: -10 to 50 °C / 14 to 122 °F	
NTERFACES		PRO CON
ITERFACES	USB 2.0 Client (with standard Micro-USB connector) SDXC card slot (not user accessible)	DEVI
ENSORS		TER
	3-Axis accelerometer to detect orientation	SYS
SYROSCOPE /IBRATION /IAGNETOMETER	Senses angular velocity Software programmable Senses angular velocity	MEN
		CPU OPEF

PHYSICAL CHARACTERISTICS			
DISPLAY	4.3 inch full touch TFT-LCD color display; FWVGA: 854 x 480 pixels; 16M colors, LED backlight		
TOUCH SCREEN PHYSICAL KEYS	Capacitive, multi-touch, Gorilla® Glass 3 Handheld: Home/scan fully programmable key Pistol-Grip: Home/scan fully programmable key, Scan Trigger key		
LED/LIGHTING	Software programmable, lights at the bottom of the battery cover		
DIMENSIONS	Handheld: 14.5 x 7.7 x 3.4 cm / 5.7 x 3.0 x 1.3 in Pistol-Grip: 14.5 x 7.7 x 11.6 cm / 5.7 x 3.0 x 4.5 in Handheld: 275.0 g / 9.7 oz Pistol-Grip: 305.0 g / 10.7 oz		
WEIGHT (WITH BATTERY)			
READING PERFORMANCE			
DEPTH OF FIELD	4.3 to 35.0 cm / 1.7 to 13.8 in, depending on bar code density		
MINIMUM RESOLUTION READING INDICATORS	Linear codes at 4 mils; 2D codes at 5 mils Loudspeaker (Polyphonic); Datalogic's patented 'Green Spot' technology for visual good-read feedback		
SAFETY & REGULATORY			
AGENCY APPROVALS	The product meets necessary safety and regulatory approvals for its intended use.		
ENVIRONMENTAL COMPLIANCE	Complies to EU RoHS		
SOFTWARE			
APPLICATIONS	Datalogic's SoftSpot technology for configurable soft triggers; Supports Datalogic's Queue Busting app; Pre-licensed device and browser lockdown powered by 42Gears; Enterprise class PTT offered by Zello		
PROVISIONING CONFIGURATION AND MAINTENANCE	Android Zero Touch enrollment Datalogic DXU for device configuration and		
DEVELOPMENT	firmware upgrade from PC Java and Xamarin SDK available		
	SOTI MobiControl, VMWare AirWatch, Wavelink Avalanche, 42Gears SureMDM		
TERMINAL EMULATION	StayLinked SmartTE, Wavelink Velocity		
SYSTEM			
MEMORY	System RAM: 2 GB; System Flash: 16 GB Flash Disk SD Card: Factory installed option		
CPU OPERATING SYSTEM	Qualcomm SnapDragon Quadcore 1 GHz Android 8.1 (Oreo) with GMS		
WARRANTY			
WARRANTY	1-Year Factory Warranty		



© 2018 Datalogic S.p.A. and/or its affiliates. • All rights reserved. Without limiting the rights under copyright, no part of this documentation may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means, or for any purpose, without the express written permission of Datalogic S.p.A. and/or its affiliates. • Datalogic and the Datalogic logo are registered trademarks of Datalogic S.p.A. in many countries, including the U.S. and the E.U. • Memor is a trademark of Datalogic S.p.A. and/or its affiliates, registered in many countries, including the U.S. and the E.U. • SoftSpot is a trademark of Datalogic S.p.A. and/or its affiliates, registered in the E.U. • Android is a trademark of Google Inc. The Android tobot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License. • The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Datalogic Group companies is under license. • Digimarc Corporation. • All other trademarks and brands are property of their respective owners. • Product specifications are subject to change without notice. • DS-MEMOR1-ENA4 Revision B 20181212

www.datalogic.com