



# Coletor de Dados

## Zebra MC55

O Symbol MC55A0 é um robusto computador móvel para a empresa, que permite seus funcionários acessar aplicativos de negócios, escanear códigos de barra, tirar foto, ver um vídeo e colocar uma chamada privada ou push-to-talk para conversarem virtualmente.

[www.bztech.com.br](http://www.bztech.com.br)



















# Motorola MC55

## Accessories Guide


















# MC55 Accessories

Cradles	
<b>Single Slot Cradles</b>	
	<b>Single Slot USB Charging Cradle — CRD5500-1000UR</b> Includes a bay for spare battery charging. Requires Power Supply KT-14000-148R and country specific three wire grounded AC power line cord. <i>Specifications:</i> Height: 7.1 cm (2.80 in.) / Width: 11.0 cm (4.33 in.) / Depth: 15.0 cm (5.91 in.) / Weight: 210 g (7.41 oz) / Power: 12 VDC
	<b>Single Slot USB Charging Cradle Kit (US) — CRD5500-100UR</b> Kit Includes: Single Slot USB Charging Cradle (CRD5500-1000UR), Power Supply (KT-14000-148R), and US three wire grounded AC power line cord (23844-00-00R).
	<b>Single Slot USB Charging Cradle Kit (International) — CRD5500-101UR</b> Kit Includes: Single Slot USB Charging Cradle (CRD5500-1000UR) and Power Supply (KT-14000-148R). Requires purchase of country specific three wire grounded AC power line cord.
<b>Single Slot Cradle Accessories*</b>	
	<b>Power Supply — KT-14000-148R</b> 100-240 VAC, 12VDC, 3.33A
	<b>US AC Line Cord — 23844-00-00R</b>
	<b>USB Communication Cable — 25-68596-01R</b>
<b>Four Slot Cradles</b>	
<b>Charging Only</b>	
	<b>Four Slot Charge Only Cradle — CRD5500-4000CR</b> Charges four terminals at one time. Requires purchase of Power Supply 50-14000-241R, DC Line Cord 50-16002-029R, and country specific three wire grounded AC power line cord. <i>Specifications:</i> Height: 13.7 cm (5.39 in.) / Width: 46.8 cm (18.43 in.) / Depth: 9.9 cm (3.90 in.) / Weight: 1115 g (39.33 oz) / Power: 12 VDC
	<b>Four Slot Charge Only Cradle Kit (US) — CRD5500-400CR</b> Kit Includes: Four Slot Charge Only cradle (CRD5500-4000CR), Power Supply (50-14000-241R) with DC line cord (50-16002-029R), and US three wire grounded AC power line cord (23844-00-00R).
	<b>Four Slot Charge Only Cradle Kit (International) — CRD5500-401CR</b> Kit Includes: Four Slot Charge Only cradle (CRD5500-4000CR) and Power Supply (50-14000-241R) with DC line cord (50-16002-029R). Requires purchase of country specific three wire grounded AC power line cord.
<b>Charging and Ethernet Connectivity</b>	
	<b>Four Slot Ethernet Charging Cradle — CRD5500-4000ER**</b> Simultaneously charges and provides Ethernet connectivity to four terminals. Requires purchase of Power Supply 50-14000-241R, DC Line Cord 50-16002-029R, and country specific three wire grounded AC power line cord. <i>Specifications:</i> Height: 13.7 cm (5.39 in.) / Width: 46.8 cm (18.43 in.) / Depth: 9.9 cm (3.90 in.) / Weight: 1115 g (39.33 oz) / Power: 12 VDC
	<b>Four Slot Ethernet Charging Cradle Kit (US) — CRD5500-400ER**</b> Kit Includes: Four Slot Ethernet cradle (CRD5500-4000ER), Power Supply (50-14000-241R) with DC line cord (50-16002-029R), and US three wire grounded AC power line cord (23844-00-00R).
	<b>Four Slot Ethernet Charging Cradle Kit (International) — CRD5500-401ER**</b> Kit Includes: Four Slot Ethernet cradle (CRD5500-4000ER) and Power Supply (50-14000-241R) with DC line cord (50-16002-029R). Requires purchase of country specific three wire grounded AC power line cord.
<b>Four Slot Cradle Accessories*</b>	
	<b>Power Supply — 50-14000-241R</b> 100-240VAC, 12VDC, 9A
	<b>DC Line Cord — 50-16002-029R</b>
	<b>US AC Line Cord — 23844-00-00R</b>
	<b>Wall Mount Cradle Bracket for mounting four slot cradles only — 8710-050006-01R</b>

\*See International Line Cords section for list of International two wire grounded AC Line Cords.

\*\* Available March 2009

Batteries	
	<b>Spare Battery — BTRY-MC55EAB00</b> 2400 mAh
	<b>Spare Battery — BTRY-MC55EAB02</b> 3600 mAh
Battery Chargers	
	<b>Four Slot Battery Charger — SAC5500-4000CR</b> Charges four standard and extended capacity MC55 batteries. Requires Power Supply KT-14000-148R and country specific three wire grounded AC power line cord. <i>Specifications:</i> Height: 4.7 cm (1.85 in.) / Width: 15.5 cm (6.10 in.) / Depth: 21.0 cm (8.27 in.) / Weight: 384 g (13.55 oz) / Power: 12 VDC
	<b>Four Slot Battery Charger Kit (US) — SAC5500-400CR</b> Kit Includes: Four Slot Battery Charger (SAC5500-4000CR), Power Supply (KT-14000-148R), and US three wire grounded AC power line cord (23844-00-00R).
	<b>Four Slot Battery Charger Kit (International) — SAC5500-401CR</b> Kit Includes: Four Slot Battery Charger (SAC5500-4000CR) and Power Supply (KT-14000-148R). Requires purchase of country specific three wire grounded AC power line cord.
Battery Charger Accessories*	
	<b>Power Supply — KT-14000-148R</b> 100-240 VAC, 2VDC, 3.33A
	<b>US AC Line Cord — 23844-00-00R</b>
Direct-Connect Charging Cables	
	<b>Auto Charge Cable (Vehicle Cigarette Lighter Adapter) — VCA5500-12R</b> 12V / Length: 161.9 cm (66.54 in.)
	<b>USB Charge and Communication Cable: Terminal to Host — 25-108022-01R</b> Double-ended cable connects the MC55 to the USB port on a computer to enable Active Sync and charging. To enable charging, Power Supply (50-14000-249R) and country specific two wire ungrounded AC power line cord are required. <i>Specifications:</i> Length: 161.9 cm (63.74 in.)
	<b>Charge Only Cable — 25-112560-01R</b> Cable between the MC55 and the Power Supply. Requires Power Supply (50-14000-249R) and country specific two wire ungrounded AC power line cord. <i>Specifications:</i> Length: 28.0 cm (11.00 in.)
Direct-Connect Charging Cable Accessories*	
	<b>Power Supply — 50-14000-249R</b> 100 – 240VAC, 5.4 VDC, 3A
	<b>US AC Line Cord — 50-16000-182R</b>
Vehicle-related Accessories	
Image Coming Soon	<b>Vehicle Charging Cradle — VCD5500-1000R**</b> Enables in-vehicle charging. Bolts into dashboard and connects to vehicle fuse box via a cable. <i>Specifications:</i> Height: 10.4 cm (4.09 in.) / Width: 11.1 cm (4.37 in.) / Depth: 6.9 cm (2.72 in.) / Weight: 240 g (8.47 oz) / Power: 12 VDC
Image Coming Soon	<b>Vehicle Holder Mount — VCH5500-1000R</b> Suction-cup style windshield mount holder accommodates the MC55 with the standard and extended battery. (Note - does not supply power.)
Image Coming Soon	<b>Vehicle Holder Mount Kit — VCH5500-101R</b> Includes Vehicle Holder Mount (VCH5500-1000R) and Auto Charge Cable (VCA5500-12R)
	<b>12V Auto Charge Cable (Cigarette Lighter Adapter) — VCA5500-12R</b>

\*See International Line Cords section for list of International two wire grounded AC Line Cords.

\*\* Available March 2009

## Holsters



**Hard Case Rigid Holster — SG-MC5511110-01R**  
Includes large swivel clip for rugged applications



**Soft Case Holster — SG-MC5521110-01R**  
Includes plastic belt clip

## Miscellaneous



**Stylus — KT-119150-03R**  
Plastic stylus for the MC55 — 3 pack



**Stylus — KT-119150-50R**  
Plastic stylus for the MC55 — 50 pack



**Optional stylus — Stylus-00001-03R**  
Spring-loaded stylus for the MC55 — 3 pack



**Optional stylus — Stylus-00001-10R**  
Spring-loaded stylus for the MC55 — 10 pack



**Spare screen protectors - 3 pack — KT-67525-01R**

## International Line Cords

Country	Three Wire Grounded	Two Wire Ungrounded
Abu Dhabi	50-16000-220R	50-16000-255R
Australia	50-16000-217R	50-16000-666R
Bermuda	50-16000-219R	50-16000-670R
Bolivia	50-16000-220R	50-16000-255R
Brazil	50-16000-221R	50-16000-182R
China	50-16000-257R	50-16000-664R
Dubai	50-16000-220R	50-16000-255R
Egypt	50-16000-220R	50-16000-255R
Europe	50-16000-220R	50-16000-255R
Hong Kong	50-16000-219R	50-16000-670R
India	50-16000-669R	Not Available
Iran	50-16000-220R	50-16000-255R
Iraq	50-16000-219R	50-16000-670R
Israel	50-16000-672R	Not Available
Italy	50-16000-671R	50-16000-255R
Japan	50-16000-218R	Not Available
Korea	50-16000-256R	50-16000-255R
Malaysia	50-16000-219R	50-16000-670R
New Guinea	50-16000-217R	50-16000-666R
Russia	50-16000-220R	50-16000-255R
Singapore	50-16000-219R	50-16000-670R
United Kingdom	50-16000-219R	50-16000-670R
United States	23844-00-00R	50-16000-182R
Vietnam	50-16000-220R	50-16000-255R



**MOTOROLA**

[motorola.com](http://motorola.com)

Part number BR-CAT-MC55-ACC. Printed in USA 01/09. MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. All other product or service names are the property of their respective owners. ©2009 Motorola, Inc. All rights reserved. For system, product or services availability and specific information within your country, please contact your local Motorola office or Business Partner. Specifications are subject to change without notice.