



## Coletor de Dados Zebra TC15

Enquanto a sua empresa se beneficia do design reforçado com economia de custo, seus funcionários se beneficiarão de seu design extremamente ergonômico. O Coletor de Dados Zebra TC15 possui tela grande de 6,5 e com distribuição de peso para que seus usuários o segurem sem esforço.



# TC15 and TN28 Accessories Guide

Rugged, the Right Features, the Right Price  
From a Leader you Can Trust

Revised June 2022



<b>I.</b>	<b>Accessories that POWER devices</b>	
	<b>1 Cradles, Charging Cables, and Batteries</b>	
1.1	Single-slot chargers	3
1.2	USB-C charging cables	3
1.3	Spare Battery	4
	<b>2 Power Supply, Cables, and Adaptors</b>	
2.1	Power Supply and Cable Matrix	4
2.2	Country-specific AC Line Cords	5
<b>II.</b>	<b>Accessories that ENABLE and PROTECT productivity solutions</b>	
	<b>3 Headsets</b>	6
	<b>4 Hand Straps</b>	6
	<b>5 Rugged Boots</b>	6

## Cradles and Charging Cables



### Single-slot charger

SKU# CRD-TC1XTN28-2SC-01

Single-slot charge-only cradle


- Connects to 2-pin charge connectors on bottom of device.
- Will charge battery from 0 to 80% in less than 2 hours or 0 to 100% in less than 3.5 hours. Also charges a spare battery simultaneously.
- Supports device with or without rugged boot installed by removing cradle shim.
- Included Connector plate is pre-installed on bottom of cradle and can be used to join two or more cradles together.
- Sold separately: Power Supply [SKU# PWR-BGA12V50W0WW](#) and DC line cord [SKU# CBL-DC-388A1-01](#). Country-specific AC line cord (listed later in this document.)

### USB-C cable for charging

SKU# CBL-TC5X-USBC2A-01

USB-A to USB-C cable for charging

- Attaches to USB-C port on the bottom of the device.
- Can be used to charge the device via USB connections (PC, USB AC Wall Outlet adapter, USB Cigarette Lighter adapter).
- Cable length is 1m ( $\cong$  3.3 ft.).
- Will charge battery in device from 0 to 80% in less than 2 hours or 0 to 100% in less than 3.5 hours when using the wall-adapter 5V power supply or Cigarette Adapter.



### USB-C cable for charging

SKU# CBL-TN28USBC2C-01

USB-C to USB-C cable for charging

- Attaches to USB-C port on the bottom of the device.
- Typically used to charge device with China-only AC Wall Outlet USB-C Power Adapter [SKU# PWR-WUA5V15W0CN-02](#).
- Cable length is 1.2m ( $\cong$  4ft.).
- Will charge battery in device from 0 to 80% in less than 2 hours or 0 to 100% in less than 3.5 hours when using the wall-adapter 5V power supply.

## Batteries



### Spare Battery

SKU# BTRY-TC1X-1XMA1-01

Spare battery (5000 mAh)

- Additional Part Numbers for different countries are listed below:
- SKU# BTRY-TC1X-1XMA1-BR — for use in Brazil.
- SKU# BTRY-TC1X-1XMA1-IA — for use in India.
- SKU# BTRY-TN28-1XMA1-01 — for use in China.

## Power supply, cables, and adaptors

### Power supply, cable matrix, and AC line cords

SKU#	Description	Note
PWR-BGA12V50W0WW	AC Input: 100–240 VAC, 12V, 4.16A, 50W. Provides US DOE Level VI compliance for power efficiency.	Used with Single-slot charger
CBL-DC-388A1-01	Used along with Power Supply PWR-BGA12V50W0WW to power Single-slot charger. Cable length is 1.8 meters.	
PWR-WUA5V15W0CN-02	AC Input: 100-240 VAC, 5V, 3.0A USB-C Power Supply: Used with USB-C Cable to provide a lower cost charging solution than using a Cradle. Provides higher current (3A) for faster charging	China Only. Requires USB-C Cable <a href="#">SKU# CBL-TN28USBC2C-01</a>
PWR-WUA5V12W0XX	USB type A power supply adaptor (wall wart). Replace 'XX' in SKU as follows to get the right plug style based on region: <b>US</b> (Mexico) • <b>AU</b> (Australia) • <b>CN</b> (China) • <b>IN</b> (India) • <b>KR</b> (Korea) • <b>BR</b> (Brazil)	Requires USB-C Cable <a href="#">SKU# CBL-TC5X-USBC2A-01</a>
CHG-AUTO-USB1-01 or CHG-AUTO-USB1-BR (for Brazil)	USB Cigarette Lighter Adapter: Used with USB-C Cable to provide in-vehicle charging. Includes two USB A ports providing higher current (2.5A) for faster charging.	Requires USB-C Cable <a href="#">SKU# CBL-TC5X-USBC2A-01</a>


# Accessories that power devices



## Power supply, cables, and adaptors

### Country-specific AC line cords: grounded, 3-prong

SKU#	Country / region	Note
<a href="#">23844-00-00R</a>	Mexico	7.5 feet long Commonly used with chargers mounted in server racks
<a href="#">50-16000-678R</a>	Mexico	3 feet long
<a href="#">50-16000-221R</a>	Mexico	6 feet long
<a href="#">50-16000-727R</a>	Brazil	1.8 meters (6 feet) long
<a href="#">50-16000-680R</a>	Argentina	1.8 meters (6 feet) long
<a href="#">50-16000-219R</a>	Antigua, Bermuda, Burma, Channel Islands, Hong Kong, Iraq, Malaysia, Singapore	1.8 meters (6 feet) long
<a href="#">50-16000-257R</a>	China	1.8 meters (6 feet) long
<a href="#">50-16000-220R</a>	Abu Dhabi	1.8 meters (6 feet) long
<a href="#">50-16000-669R</a>	India, S. Africa, Africa	1.8 meters (6 feet) long



# Accessories that enable and protect productivity solutions



## Headsets

### Wired headsets for Workforce Connect

SKU# HDST-USBC-PTT1-01

PTT headset with USB-C connector one-piece solution.

- For Push-To-Talk (PTT) applications with volume up/volume down/PTT buttons. Compatible with PTT Express/PTT Pro.
- Rotating earpiece allows for right or left ear configuration. Mono headset with microphone.
- Includes clip for attaching PTT button to clothing.

#### Compatibility

TC15	Yes
TN28	Yes



## Hand Strap

### Hand strap

SKU# SG-TC1XTN28-HSTR-01

Hand Strap

- Strap attaches to back of device.
- Elastic material provides maximum comfort and wear resistance.
- Adjustable Velcro design accommodates various hand sizes.
- Clip on strap attaches to bottom of device.
- Also compatible with Rugged Boot.

#### Compatibility

TC15	Yes
TN28	Yes



## Rugged Boot

### Rugged boot

SKU# SG-TC1XTN28-EXO1-01

Rugged Boot / Exoskeleton

- Boot increases drop spec of device from 1.2m (4ft.) to 1.5m (5ft.).

#### Compatibility

TC15	Yes
TN28	Yes

