



Rebobinador Godex T10

O Rebobinador Godex T10 é a ferramenta ideal para o usuário que deseja rebobinar suas etiquetas impressas em impressoras de forma simples, rápida e prática.



GoDEX

T-10 LABEL REWINDER


T-10 USER GUIDE

CONTENT

- 1 **BOX CONTENTS**
 - 2 **GETTING TO KNOW YOUR T-10 REWINDER**
 - Device overview
 - 3 **SETTING UP THE REWINDER**
 - Connection
 - Loading the label
 - Label core in different sizes
 - Match up the empty label core and core adapter
 - The modes of rewinding
 - Start the rewinder
 - 4 **WHAT'S THE STATUS OF THE REWINDER**
 - LED indicator
 - When the rewinder is full
 - 5 **TROUBLESHOOTING**
 - Sensing error
 - Idle load
- APPENDIX**
- Product specifications

1 BOX CONTENTS

- T-10 Label Rewinder




- User Guide



- Paper Clip




- Paper Stop Plate




- 1.5'' Adapter



- Power Adapter




- 3'' Adapter




2 GETTING TO KNOW YOUR T-10 REWINDER

Device Overview

- Front View



- Rear View




LABEL REWINDING SHAFT

SPRING SLICE

CONTROL MECHANISM

- Start
- Direction
- Status



GUIDE TRACK

LED INDICATOR


PAPER PRESS BAR





Be Clean

3 SETTING UP THE REWINDER

Connection





Loading the Label



Label core in different sizes









Paper Clip

for 1", to fix label in position.



Core Adapter


for 1.5", 2", 3" Empty label core.



Match up the empty label core and core adapter

1'' Empty Label Core


with Label rewinding shaft.



$\Phi 25.2 \sim \Phi 25.6\text{mm}$
Tolerable size of inside diameter
for Label Rewinding Shaft

1.5'' Empty Label Core


with 1.5'' Core adapter.



$\Phi 40 \sim \Phi 40.6\text{mm}$
Tolerable size of inside diameter
for 1.5'' Core Adapter

3'' Empty Label Core


with 3'' Core adapter.




$\Phi 76 \sim \Phi 76.6\text{mm}$
Tolerable size of inside diameter
for 3'' Core Adapter

The Modes of Rewinding

Outside




Inside



4 WHAT'S THE STATUS OF THE REWINDER


LED Indicator



STATUS


LED INDICATOR

Power ON




Flash

Outside




Blue

Inside



Green


Error / Alert






Red



Power OFF




When The Rewinder Is Full



5 TROUBLESHOOTING

Error / Alert



Error /Alert

Description



Paper Full

refer to "When The Rewinder Is Full" on Chapter 4



Sensing Error




refer to "Sensing Error" on Chapter 5



Idle Load




refer to "Idle Load" on Chapter 5

!² Sensing Error





Idle Load



T-10 USER GUIDE

APPENDIX

PRODUCT SPENIFICATIONS

Model	T-10
Paper width	4.72" (Max)
Rewind Speed	12 IPS
Label Roll	8" (Max.)
Core Roll	Coreless, 1", 1.5", 3"
Label Roll Weight	5Kg
Rewinding	Label Inside/Outside
Switches	Rewind
Motor	Hybrid Motor
Power	100~240VAC 24W, 24V Adapter
Environment	Operating Temp.: 41°F to 104°F (5°C to 40°C) Storage Temp.: -4°F to 122°F (-20°C to 60°C)
Humidity	10-85% (non-condensing RH)
Size (H*W*D)	303mm * 180mm * 349mm
Agency Approvals	CE, FCC Class A
Weight	5Kg (11lb)
Warranty	2years



DOCUMENT DESCRIPTION

USER GUIDE

T-10 Label Rewinder

Version : Re 1.05

Issue Date : 2011.08.09

Part NO. : 313-041000-003

If you are looking for manuals in other languages or newer editions, please visit our website www.godexintl.com.



GODEX INTERNATIONAL

infoGT@godexintl.com

+886-2-2225-8580

GODEX AMERICAS

infoGA@godexintl.com

+1-805-987-5100

GODEX CHINA

infoGC@godexintl.com

+86-21-5665-1313

GODEX EUROPE

infoGE@godexintl.com

+49-2193-53396-0