



## Coletor de Dados Honeywell 70e

O mais novo EDA (Enterprise Digital Assistant) da Honeywell, Dolphin 70e, une estilo, sofisticação com robustez e longevidade.

## Dolphin 70e Black

### ENTERPRISE HYBRID DEVICE (EHD)

The Dolphin™ 70e Black, Honeywell's latest enterprise hybrid device, successfully marries the size, style and usability of a consumer device with the reliability and longevity of a traditional rugged hand-held. Engineered with premium materials and clean lines, the form factor of the Dolphin 70e Black elegantly lends itself to personal device usage while also meeting the challenges found in the unpredictable surroundings of the mobile enterprise.

Along with the aesthetic details, the Dolphin 70e Black was also built to deliver years of reliable operation. Incorporating Corning® Gorilla® Glass, the device's touch screen is exceptionally resistant to damage. Select models are IP67-rated and hence provide superior protection against water and dust. In addition, the Dolphin 70e can be operated in extreme temperatures as low as -20° C (-4°F) minimizing downtime associated with conditions.

Businesses can also capitalize on the flexible platform supplied by the Dolphin 70e Black which can be customized according to use case with Microsoft Embedded Handheld 6.5 or Google® Android™ operating systems. If the Windows operating system is initially purchased, it can easily be transferred to the Android system later on. The crystal clear 4.3" display can be seen in virtually any lighting condition, including outdoors, and is equipped with the same capacitive touch screen technology used in advanced smartphones, enabling the use of two-finger gestures for device operation. Further, the offering's integrated imager provides bar code scanning performance superior to that of the camera scanning applications that are currently available in the market. Compatible with Honeywell's turnkey remote management solution, Remote MasterMind™, the Dolphin 70e Black can be tracked and managed in real time from any location, reducing the total cost of ownership incurred with mobile deployments.

Impeccably positioned where emotional elements and rational demands meet, the Dolphin 70e Black effortlessly enables enterprises to stay on trend without sacrificing performance.



### Features

- **Aesthetically Pleasing and Pocketable:** Attractively designed to increase end user adoption and communicate a progressive, professional appearance in the field
- **Beyond Reliable:** Integrates Corning® Gorilla Glass® for display damage resistance, housing is designed to withstand multiple 4' drops to concrete and over 1,000 0.5m tumbles, select models are IP67 rated which provides superior protection against water and dust
- **Crystal Clear Touch Screen Display:** Capacitive touch technology and readability in various lighting conditions combine to provide an offering that is perfect for inside or outside use cases
- **Fast and Reliable Wireless Connectivity:** Delivers full wireless coverage for applications inside and outside of the four walls, allowing real-time access to critical data
- **Remote MasterMind® Ready:** Extends mobile workforce capabilities and reduces total cost of ownership by providing a turnkey remote device management solution
- **Service Made Simple™ Service Plans:** Offers comprehensive, hassle-free protection on the device investment for up to five years after purchase extending the product life expectancy beyond the norm for consumer grade devices

# Dolphin 70e Black Technical Specifications

## Mechanical

Dimensions	Standard Battery: 134 mm x 73 mm x 18 mm (5.3" x 2.9" x 0.7") Extended Battery: 134 mm x 73 mm x 23.9 mm (5.3" x 2.9" x 0.9")
Weight	Standard Battery: 204 g (7.2 oz); Extended Battery: 244 g (8.6 oz)

## Environmental

Operating Temperature	-20° to 50°C (-4°F to 122°F)
Storage Temperature	-25° to 70°C (-13° to 158°F)
Humidity	Humidity 0 to 95% relative humidity (non-condensing)
Tumble	Exceeds 1,000 (0.5m) tumbles per IEC 60068-2-32 specification (standard battery) Exceeds 300 (0.5m) tumbles per IEC 60068-2-32 specification (extended battery)
ESD	± 15KV Air and ± 8KV Contact
Environmental Sealing	Options available that are independently certified to meet IP54 or IP67 standards for moisture and particle intrusion.

## System Architecture

Processor	1GHZ single core TI OMAP
Operating System	Microsoft® Windows® Embedded Handheld 6.5 Google® Android™ version 4.0 with Honeywell security and manageability features. If the Windows operating system is initially purchased, it can easily be transferred to the Android system later on.
Memory	512MB RAM X 1GB FLASH
Display	4.3" WVGA (480 x 800), super bright, sunlight viewable
Touch Panel	2 finger capacitive touch, optically bonded for extra durability and better sunlight viewability
Keypad	Dedicated scan key, 4 programmable keys, volume up and down keys, side scan key, Honeywell Virtual Keypad and Keypad Creator
Audio	Speaker, dual array digital microphones with echo and noise cancellation
I/O Ports	Micro USB, 3.5 mm headphone/mic combo jack
Camera	5.0 megapixel camera with autofocus and flash
Sensors	Accelerometer, vibration, ambient light and proximity
Storage Expansion	User accessible microSD slot (SDHC compatible). Please check with your Honeywell representative for available qualified card options
Battery	Standard: Li-ion 3.7 V, 1670 mAh; Extended: Li-ion 3.7 V, 3340 mAh
Hours of Operation	Talk time over 3G network with standard battery: 6 hours Talk time over 3G network with extended battery: 12 hours
Decode Capabilities	Dedicated imager capable of decoding standard 1D and 2D bar code symbologies
Development Environment	Honeywell SDK for Microsoft® Windows® Embedded Handheld 6.5 Honeywell SDK for Google® Android™ version 4.0
HSM Application Software	Honeywell Powertools® and Demos, Remote MasterMind™ for Mobility remote device management
Warranty	1 year factory warranty

## Wireless Connectivity

WWAN	Option 1: GSM (Voice and Data): 3.9G-UMTS/HSPA+ (900/2100 MHz), GSM/GPRS/EDGE (850/900/1800/1900 MHz). Assisted GPS included. Option 2: Software definable (Voice and Data): 3.9G - HSPA+/UMTS (850/1900/2100MHz), GSM/GPRS/ EDGE (850/900/1800/1900MHz) and EVDO Rev A - 1xRTT/EVDO (800/1900 MHz). Assisted GPS included.
WLAN	IEEE 802.11 a/b/g/n; Wi-Fi™ certified
WLAN Security	Windows: WEP, 802.1x, LEAP, TKIP, MD5, EAP-TLS, EAP-TTLS, WPA-PSK, WPA v2.0, PEAP, CCXv4, CCMP (AES) Android: WEP, 802.1x, TKIP, PEAP, EAP-TLS, EAP-TTLS, WPA-PSK, WPA v2.0, CCMP (AES)
WPAN	2.4 GHz (ISM Band) Adaptive "frequency hopping" Bluetooth® v2.1; Support for Enhanced Data Rate 2.0 Mbps & 3.0 Mbps Rates Class II (10m)
NFC	Integrated NFC reader with embedded secure element

Microsoft, Windows, and the Windows Logo are registered trademarks or trademarks of Microsoft Corporation. The Bluetooth trademarks are owned by Bluetooth SIG, Inc. U.S.A. and licensed to Honeywell International Inc.

For a complete listing of all compliance approvals and certifications, please visit [www.honeywellaidc.com/compliance](http://www.honeywellaidc.com/compliance)  
For a complete listing of all supported bar code symbologies, please visit [www.honeywellaidc.com/symbologies](http://www.honeywellaidc.com/symbologies)



## For more information:

[www.honeywellaidc.com](http://www.honeywellaidc.com)

## Honeywell Scanning & Mobility

9680 Old Bailes Road  
Fort Mill, SC 29707  
800.582.4263  
[www.honeywell.com](http://www.honeywell.com)

# Honeywell

D70E-DS Rev C 10/14  
© 2014 Honeywell International Inc.